Subject index

Page numbers are the first page of a paper in which the entry is discussed

acid insoluble matter (AIM), 35
adaptation, 407
adventitious embryos, 341
agitation, 335, 347
air fresheners, 35
Alaska, 125, 311
aliens, 29, 213, 216
ampullae, 125
Antarctica, 125, 137, 267, 481, 491
antibacterial activity, 457
antiherbivore agents, 199
aquaculture, 75, 67, 347, 353, 355, 367
Argentina, 35, 145, 213, 277
ascidians, 213
ash content, 347
Asturias, 125
Atlantic Ocean, eastern, 137, 185, 199
Atlantic Ocean, western, 125, 137
Australia, 137, 173, 277, 283

bacteria, 457, 515
Baja California, Mexico, 145, 159, 169
balanoids, 297, 367
ballast water, 29
Baltic Sea, 111, 117, 317
bioaccumulation, 305
bioactive, antimicrobial, 457
biofiltration, 75, 83
biogeographical distribution, 145, 159, 169, 173, 199, 277
bioindicators, 317
biomass, 245, 253, 259, 267, 353
biomass-density relationships, 259
biomass production, 75
bisexual gametophytes, 277
blade area, 267
boulders, 24, 245
Brabender hydration profile, 35
branching pattern, 145, 149
Brazil, 145, 501, 575
British Columbia, 67, 125
Brittany, 125, 216, 336
Bulgaria, 381

California, 125, 137, 173
California Current, 159
callus, 391
Canada, Atlantic, 35, 97, 179
Canada, Pacific, 67
carbon demand, 335
carpospores, 347
carpostomes, 137
carpotetrasporophytes, 137
CASI, 463
cell walls, 125, 463
chemical defense, 198, 341
Chile, 1, 15, 35, 75, 137, 173, 229, 245, 277, 327, 355, 367
China, 15
chitons, 245
chloroplast DNA, 29, 137, 229
clones, 259
cochajugo, 15
codon position, 125
coho salmon, 75
colonization, 211, 216, 311
commercial sales of fresh seaweeds, 15
communities, 283, 297
competition, 271, 291, 355
concrete blocks, 245
connecting filament, 125
contaminant organism, 355
copepods, 191
cortical initials, 149
cost of production, 335
cover, 191, 353
crossability, 145
crustose tetrasporophytes, 137
cultivation, 67, 75, 347, 353, 367
culturing, 61, 277, 361
cystocarps, 145, 205, 223, 317, 335, 347

decay indices, 125, 137
demography, 179, 223
Denmark, 35, 381
density, 245, 259, 267
diatoms, 283, 407
disease, 21, 87, 97, 111, 117
disease, green spot, 87, 97
disease, green rot, 97
dispersal, 213, 216, 311
distribution, geographical, 159, 169, 173, 199
distribution, vertical, 117, 311, 341
diversity , 169, 173
dog whelks, 191
dulse, 15

economic feasibility, 67
effluents, 61, 75, 205, 297, 305
El niño, 159, 173
emersion culture, 277
endemism, 173
endophytes, 97, 111, 117
England, 145
environmental sustainability, 75
epiphytes, 149, 191, 317, 347
erosion control fabric, 311
ethnobotany, 15

Europe, 35
eutrophication, 75, 291, 297
exposure, 259, 311, 501
EXXON Valdez, 311

farming, fish, 61, 67
farming, kelp, 67, 214
farming, salmon, 67, 75
farming, seaweed, 1, 67, 217, 235, 347, 353, 355, 367
farming, shrimp, 347, 353
FDA, 35
fecundity, 223
fertilizers, organic, 15
fertility, 277
Firth of Clyde, 305
fish culture, 61, 97
fish effluent, 61, 75, 205
fish ponds, 61
fish processing, 291
fish production, 75
floating enclosed system, 83
flora, 149, 159, 173
floristic affinities, 159
Florida, 125
food additives, 35
food conversion efficiency, 75
food fads, 35
food hydrocolloids, 35
foods, convenience, 35
foods, dairy, 35
foods, further processed, 35
foods, pet, 35
frames, 347
France, 35, 407, 511
France, Atlantic, 125, 137, 217, 335, 381, 407, 463, 511
freezing damage, 277
frond density, 259
frond shedding, 191
functional-form model, 1
fungal infection, 97
funori, 15
fusion cells, 137

Galicia, 217
gametophytic dominance, 253
gastropods, 191, 253, 297, 341
gel strength, 347, 437, 473
gel yield, 205, 347, 437, 473, 511
gelling temperature, 205, 347
gene transfer, 21
genes, 429
genes, aconitase, 429
genes, glyceraldehyde-3-phosphate dehydrogenase, 429
genes, mitochondrial, 429
genes, nuclear, 429
genes, polyubiquitin, 429
genes, *rbc*L, 125, 137, 217
genes, ssrRNA, 217
genes, triosephosphate hydrogenase, 429
genetic adaptation, 199
genets, 199, 259
genome, virus, 105
Germany, 381
germling bank, 191, 311

GIS, 311
Glasgow, 305
Gondwana, 137
gonimoblast development, 125
GPS, 311
grafting, 87
gross photoconversion ratio, 333
growth, 67, 117, 191, 199, 267, 347, 353, 355, 367, 393, 437
Guillard medium, 353
gulamon, 15
Gulf of California, 159, 169, 381

habitat type, 311, 457
hairs, 149
harvesting, 67, 245, 253
harvesting history, 179
Hawaii, 15
heavy metals, 35, 297, 305, 317, 327
herbicies, 317
herbivory, 341
hierarchical sampling, 199
high intertidal, 259, 277, 297, 311
histocompatibility, 387
holdfast regeneration, 245
homoplasy, 125
Hong Kong, 381
hybridization, 145

IFAC, 35
imaging, seaweed, 463
income-analysis model, 75
India, 381
Indian Ocean, 125
Indonesia, 35
infection, 21, 87, 97, 111, 117
integrated fish/seaweed cultivation, 67, 75
intraspecific variation, 199, 229
introduced seaweeds, 29, 213, 217
introns, 429
invasions, 29, 213, 217
Ireland, 125, 381
irrigation canal, 347
Isle of Man, 191, 199
isopods, 191
Italy, 125
iteroparous, 185

Japan, 15, 35, 125, 137, 381, 515
JECFA, 35
kanten, 15
kelp, 1, 15, 67, 111, 117, 173, 217, 327, 341, 371, 445, 463, 515
King George Island, 125, 137
kombu, 15
laundering, 15
Law of Fisheries, 381
liang-fen, 15
life history, 137, 223, 277, 245
light, dynamic, 401
light flecks, 401
limpets, 191
limu kohu, 15
liquid diet, 35
littorinids, 191, 199, 297
logistic model, 273

Lotka-Volterra model, 273
luga, 1, 245
luga cuchara, 245
luga negra, 245

M13, 29
MacClade, 125, 137
Malaysia, 347
male reproductive anatomy, 145
management, 1, 179, 245, 253
mangroves, 347
manufacturing, 35
Marinalg, 35
marketing, 35
markets, 35
Massachusetts, 125
maximum parsimony method, 125, 137
McMurdo Sound, 137
meat, processed, 35
medicine, 15
Mediterranean Sea, 217
metals, 305, 317, 327, 451
metal accumulation, 451
mesocosms, 283
Mexico, 35, 159, 169, 361, 381
Mexico, Pacific, 137, 159
microalgae, 283
milk index, 35
milk index spread, 35
mining, 327
molecular biology, 29
molecular systematics, 125, 137
monofilament line, 347
monsoon, 347
morpho-functional groups, 1
morphogenesis, 393
morphology, 125, 145, 149
morphotypes, 227, 501
mouthfeel, 35
mussel bed, 355
mussels, 83, 355

NAFTA, 379
Namibia, 125, 137, 173
nematodes, 97
Netherlands, 381
New Zealand, 15, 125, 137
niche partitioning, 191
non-indigenous species, 29, 213, 217
Normandy, 511
North Atlantic Ocean, 137, 217
North Carolina, 125
North Equatorial Current, 159
North Korea, 111
North Pacific Ocean, 137, 159
Northern Ireland, 125, 137
Norway, 297
Nova Scotia, 15, 179
nuclear DNA, 29, 429
nutrient regeneration, 355
nutrient removal, 61, 67, 83, 291
nutrient uptake, 67, 75

oil spill, 311
oligotrophy, 291
operational cost modeling, 335
orchids, 15
Oregon, 125
organellar DNA, 125, 137, 229, 429

Pacific Ocean, western, 125
paddle wheels, 335, 347
paints, antifouling, 317
particle discharge, solid, 75
pathogens, 21, 87, 97, 105, 111, 117
PAUP, 125, 137
periaxial cells, 149
pH regulation, 335
phenotypic variability, 199, 229, 501
Philippines, 15, 35, 125, 381
photon flux density, seasonal variation in, 253
photoinhibition, 401, 407
photosynthesis, 407
photosystem II, 407
phycocolloids, 1, 15, 35, 125, 205, 347, 367, 381, 437, 481, 497, 501, 515
phylogeny, 125, 137
phytoplankton, 407
pit plugs, 125
pollution, metal, 297, 305, 317, 327
pollution, sewage, 297
polymerase chain reaction (PCR), 29, 105, 137, 229
population characterization, 29, 179, 185, 199, 217, 223, 229, 245, 277, 253, 341
population dynamics, 191, 245
population structure, 179, 191, 267, 273
Portugal, 223
procarp, 125
production, 1, 35, 67, 83, 253, 335, 371
production model, 67, 335
pseudo-periaxial cells, 149
Puerto Rico, 381, 457

raffia, 347
rainbow trout, 75
rainfall, 347
RAPD, 29, 229
ramets, 259
*rbc*L gene, 29, 125, 137
rDNA, 29
rDNA ITS, 29
receptacle photosynthesis, 185
receptacle respiration, 185
recolonization, 303
recovery, 311
recruitment, 179, 213, 217, 223, 235, 245, 311
regeneration, 245, 361
reproduction, 223
reproductive allocation, 185
reproductive biomass, 185
reproductive effort, 185, 223
reproductive phase dimorphism, 223
reproductive phenology, 185, 193, 213, 253
reproductive potential, 223
reproductive strategy, 223
reproductive tissue photosynthesis, 185
research, seaweed, 1
restoration, 311

return, internal rate of, 67
Revillagigedo Islands, 159
RFLP, 29, 229
rhizoids, 149, 361
rimu, 15
rissoids, 191
rocky bottom, 213
rocky shore, 191, 216
RUBISCO ITS, 29

salinity, 235, 253, 317
salmonids, 67, 75, 83, 205
salt water well, 335
science-industry interactions, 1
scientific development, 1
Scotland, 185
seaweed commerce, 371, 381
sediment, 75, 283
selection, 199
semelparous, 185
sewage, 297
ships' hulls, 213
shipwreck, 213
shoot area, 199
shrimp pond, 347
SIAP, 35
size frequency, 245, 253
size metrics, 223
snails, 191, 253, 297, 341
South Africa, 125, 137, 173, 277, 291
South Shetland Islands, 125, 137
Southern Hemisphere, 125
Spain, 381
Spain, Atlantic, 125, 217
spatial variation, 191, 199, 501
species interaction, 355
species invasion, 29, 213, 217
species richness, 169, 173
species turnover, 173
spectrometry, imaging, 463
spectroscopy, 13-carbon nmr, 473, 497, 505
spectroscopy, Fourier Transform IR, 481, 491, 497
spectroscopy, Laser Raman, 481
spectroscopy, vibrational, 479
spermatangia, 137
spines, 149
spore production, 223, 347
spore recruitment, 223, 235
spore traps, 347
sporelings, 213, 245, 347, 367
ssrRNA gene, 29
stand biomass, 259
stratification, 291
substratum, 213, 217, 235, 245, 311
substrata, artificial, 213, 217, 223, 235, 245, 311, 347
substrata, natural, 245, 311
sunshine, number of hours per day, 253, 347
sunflecks, 401
survival rates, 245
Sweden, 199, 317
SWM3 medium, 361

Tahiti, 15
Taiwan, 125, 149
tank cultivation, 75, 205, 335, 353
taxonomy, 145, 149, 169
technical feasibility, 67
temperature correlation, 169, 253
temperature effects, 235, 277, 335
temperature, melting, 347
temperature tolerance, 173, 213
temperature-controlled reproduction, 275
temporal [seasonal] variation, 87, 169, 191, 235, 245, 253, 267, 291, 347, 355, 457, 501, 511
tengusa, 15
tetrasporangia, 223, 347
tetraspores, 223, 347
tetrasporoblasts, 137
thallus size, 179, 185, 199, 213, 223, 245, 267
thermocline, 291
tissue culture, 393
toxicity testing, 317
toxicology, 35
transect, 179, 217
translocation, 421
transplantation, 311
tropical seaweeds, 159, 361
tropical eastern Pacific, 159
tropical western Pacific, 149

ultrastructure, 451
ultraviolet absorbing compounds, 415
ultraviolet light, 415
unisexual gametophytes, 277
United Kingdom, 305, 381, 401
United States, 35, 381
upper limit of algae, 311
upwelling, 173
USDA, 35
utilization, seaweed, 1, 15, 35, 371, 381

vegetative propagation, 361
Venezuela, 125, 145, 381, 497
Venice (Italy), 217
viet tsin, 15
virus, brown algal, 21, 105
virus, *Chlorella*, 105
virus, DNA, 21
virus, *Ectocarpus*, 21, 105
virus, *Feldmannia*, 21, 105
virus, *Hincksia*, 21
virus genome, 105

Wales, 125
Washington, 125
wastewater, 297, 315
water exchange, 75
water motion, 235, 347
water quality, 75, 347
water renewal rates, 335, 347
weight classes, 267
wharf pilings, 213
wild stock, 1
Wilson-Shmida Index of Beta Diversity, 173

yapín, 243
year classes, 191
yeasts, 97

zonation, 117, 311, 463

Chemical components index

Page numbers are the first page of a paper in which the entry is cited.

agar, 1, 15, 125, 145, 205, 347, 353, 367, 437, 481, 491, 497, 501
agaran, 125
agarobiitol, 125
agarobiose, 125
agarose, 15, 367, 481, 491, 497
alginate, 1, 15, 515
alginate, MG blocks, 515
alginate, MM blocks, 515
ammonium, 39, 67, 75, 291, 305, 341, 355
antimony, 327
antheraxanthin, 407
arsenic, 327
auxin, 393

barium, 327
borate, 473
bromine, 327

cadmium, 317, 451
calcium, 473
campesterol, 511
carbon, 59, 75, 335, 355, 341, 421
carbon–13, 401
carbon dioxide, 335
carotenoids, 407
carrabiose, 125
carrageenan, 1, 15, 35, 125, 169, 245, 381, 481, 491
carrageenan, filtered, 35
carrageenan, iota, 35, 125, 481, 491
carrageenan, kappa, 15, 35, 125, 481, 491
carrageenan, kappa–2, 35
carrageenan, lambda, 35, 125, 481, 491
carrageenan, mu, 125
carrageenan, natural-grade, 35
carrageenan, nu, 125
cellulose, 473
cesium, 327
chlorophyll, 407
chlorophyll *a*, 283
cholesterol, 511
ethyl–24-cholesterol, 511
methylene–24-cholesterol, 511
chromium, 317, 327
copper, 305, 317
cytokinin, 393
cytosine, 5-methyl-, 105

dehydrocholesterol, 511
deoxyribonucleic acids, 29, 105, 125, 137, 229, 429
diadinoxanthin, 407
diatoxanthin, 407
dihydrocholesterol, 511

furcellaran, 481

galactans, 481, 505
galactopyranoside, methyl, 481
galactose, 505
galactose, 3,6-anhydro-, 125, 145, 481, 491, 505
galactose, 2-O-methyl, 491
galactose, 4-O-methyl, 491
galactose, 6-O-methyl, 505
galactose, sulfated, 497
galactose–4-sulfate, 491
galacturonic acid, 473
glucuronans, 473
glucuronic acid, 473
glucoxylan, 473
glyceraldehyde–3-phosphate dehydrogenase, 429
glycoprotein, 491
gold, 327
guluronic acid, 515

iron, 305, 327

lanthanum, 327
lead, 305, 317
locust bean gum, 35

manganese, 305
mannan, 491
mannuronic acid, 297, 515
mercury, 317
molybdenum, 327
mycosporine, 415

nickel, 305, 317, 327
nitrate, 353, 361
nitrite, 347
nitrogen, 59, 61, 67, 75, 83, 291, 335, 341, 355, 437, 445
nucleosides, 429

phaeopigments, 283
phenols, 199, 341
phlorotannins, 199
phosphate, 83, 353, 361, 437, 445
phosphorus, 59, 75, 335, 341, 355
polyphenolics, 199
polyphloroglucinol, 199
polysaccharides, 473, 491
polysaccharides, sulfated, 473
polyubiquitin, 429
porphyran, 125, 505
pyruvate galactose, 505

samarium, 327

scandium, 327
silver, 327
sitosterol, 511
starch, 437
sterols, 511
stigmasterol, 511

thorium, 327
titanium dioxide, 297
triosephosphate isomerase, 429

ulvans, 473
uranium, 327

violaxanthin, 407

xanthophylls, 407
xylan, 491
xyloglucuronorhamnan, 473
xylose, 505

zeaxanthin, 407
zinc, 305, 451

Taxonomic index

Page numbers refer to the first page of a paper in which the taxon is cited. Species cited as 'sp.' or 'spp.' are included under entries for genera. Names in ( ) denote synonyms. Names in [ ] denote basionyms.

Acanthodoris pilosa, 191
(Acetabularia parvula), 159
– (parvula var. *americana)*, 159
Acrochaete, 97
– operculata, 97
Acrochaetium daviseii, 159
– eastwoodi, 159
– variabile, 154
Aeodes orbitosa, 125
Agardhiella subulata, 35, 159
– (tenera), 35, 159
Aglaothamnion neglectum, 429
Aglaozonia canariensis, 159
"– parvula", 223
(Ahnfeltia concinna), 35
– fastigiata, 125
plicata, 125, 159, 245, 297, 371
svensonii, 137
Ahnfeltiales, 125
Ahnfeltiopsis complicata, 137
– concinna, 137, 159
– devoniensis, 125, 137
– durvillaei, 137
– flabelliformis, 137
– furcellata, 137, 159
– gigartinoides, 137, 159
– glomerata, 137
– humilis, 137
– leptophylla, 137
– linearis, 137
– paradoxa, 137
– serenei, 159
– vermicularis, 137
Alaria marginata, 421
– nana, 199
Alcyonidium, 191
(Amphiroa annulata), 159
– beauvoisii, 159
(– crosslandii), 159
– dimorpha, 159
(– droueti), 159
– misakiensis, 159
– rigida, 159
(– taylorii), 159
– valonioides, 159
Amphora, 281
Ampithoe rubricata, 191
Antithamnion, 125
Aplodactylus punctatus, 341
Argopecten, 367
– purpuratus, 367
Ascophyllum nodosum, 179, 199, 214, 295, 305, 341, 421, 463
Asparagopsis armata, 217, 223
(– sanfordiana), 159
(– sanforidana f. *amplissima)*, 159
– taxiformis, 15, 159
– taxiformis f. *amplissima*, 159
Asterias rubens, 297
(Asterocystis ramosa), 159
Avicennia, 347
Axillariella constricta, 173

Bacillus subtilis, 457
Balanus, 297
Ballia sertularioides, 267
Bangiales, 125, 327, 371
Betaphycus, 15
Bifurcariopsis capensis, 173
Bonnemaisonia asparagoides, 223
– hamifera, 125, 217
Bostrychia, 277
Botryocladia pseudodichotoma, 159
Bryopsis galapagensis, 159

Caenorhabditis elegans, 429
Calliblepharis jubata, 125
Callithamnion pacificum, 159
– paschale, 159
– soccoriense, 159
Callophycus africanus, 125
Callophyllis variegata, 253, 371
Callophyllis violacea, 125
Candida albicans, 457
Carcinus maenus, 191, 297
Carpopeltis clarionensis, 159
Carpopeltis maillardii, 125
Caulacanthaceae, 125
Caulacanthus ustulatus, 125
Caulerpa fastigiata, 159
– peltata, 159
– racemosa, 15, 159
– racemosa var. *laetevirens*, 159
– racemosa var. *occidentalis*, 159
– verticillata, 457
Centroceras, 277
– clavulatum, 159
Ceramiaceae, 223
Ceramiales, 125, 273, 297, 317, 457
Ceramium, 297
– aduncum, 149
– ciliatum, 149
– cimbricum, 149

– *clarionense*, 159
– *cliftonianum*, 149
– *codii*, 149
– *fastigiatum*, 149
– *flaccidum*, 149, 159
(– gracillimum var. *byssoideum)*, 149, 367
– *mazatlanense*, 149, 159
– *nakamurai*, 149
– *paniculatum*, 149
(– rubrum), 149, 191
– *sinicola*, 159
(– strictum), 317
– *tenerrimum*, 149
– *tenuissimum*, 149
(– vagabundum), 159
– *vagans*, 159
Chaetomorpha, 223
– *antennina*, 159
– *exposita*, 159
– *gracilis*, 159
Champia novae-zelandiae, 505
– *parvula*, 159, 317, 505
Chara corallina, 421
Chlamydomonas, 419
– *reinhardtii*,
Chlorodesmis comosa, 159
Chlorodesmis mexicana, 159
Chlorophyta, 15, 29, 61, 97, 159, 291, 297, 445, 451, 457, 473
Chnoospora minima, 159
– *pacifica*, 159
Chondracanthus, 381
– *acicularis*, 35
– *canaliculatus*, 35
– *chamissoi*, 35
– *corymbiferus*, 35
Chondria clarionensis, 159
– *dasyphylla*, 125
Chondrus, 125
– *canaliculatus*, 125
– *crispus*, 97, 125, 297, 327, 335, 371, 387, 429, 481, 491
Chorda filum, 297
Chordaria flagelliformis, 297, 445
Choreonema thuretii, 159
Choromytilus chorus, 59, 75, 341, 355
Chroodactylon ornatum, 159
Cladophora, 191, 223
– *albida*, 29
– *gracilis* f. *expansa*, 159
– *inserta*, 159
– *perpusilla*, 159
– *rupestris*, 297
Cladophoropsis, 29
– *membranacea*, 159
Clarionea masonii, 159
Cocconeis, 283
Coccotylus truncatus, 137
Codium, 15, 29
– *decorticatum*, 159
– *fragile*, 217, 445
– *fragile* subsp. *tomentosoides*, 29
– *isabelae*, 159
– *longiramosum*, 159
– *simulans*, 159
Colacodasya sinicola, 159
Colpomenia, 173
– *peregrina*, 217, 223
– *phaeodactyla*, 169
– *ramosa*, 169
– *sinuosa*, 159, 169, 327
– *tuberculata*, 169
Corallina, 217
Corallinaceae, 223, 297
Cordylecladia erecta, 125
Costaria, 111
Crepidula, 245
Crossostrea gigas, 59, 75, 341, 355
Crouania attenuata, 159
Cruoriella dubyi, 159
Cryptonemia angustata, 159
– *taylorii*, 159
Cryptonemiales, 125
Cryptopleura ramosa, 223
Culteria multifida, 223
Cutleria hancockii, 169
Cyanobacteria, 283
Cystocloniaceae, 125

Dasya sinicola var. *abyssicola*, 159
– *stanfordiana*, 159
Delesseria sanguinea, 421, 511
Delisea pulchra, 125
(Dermatolithon ascripticium), 159
pastulatum f. *ascripticium*, 159
Dermocorynus occidentalis, 125
Dermonema frappieri, 159
Desmarestia viridis, 169
Dictyopteris delicatula, 159
– *undulata*, 169
Dictyosiphon foeniculaceus, 393
Dictyosiphonales, 173
Dictyosphaeria australis, 159
– *versluysii*, 159
Dictyota crenulata, 159
– *dichotoma*, 159, 169, 223, 457
– *divaricata*, 159, 169
– *flabellata*, 169
– *masonii*, 159
– *vivesii*, 159
Dictyotales, 173, 451, 457
Digenea simplex, 159
Dilsea carnosa, 125
Drosophila melanogaster, 429
Dudresnaya japonica, 125
Dumontia contorta, 125
Dumontiaceae, 125
Durvillaea, 267
– *antarctica*, 15, 371
Durvillaeales, 15
Dynamena pumila, 191
– *bidentata*, 191

Echinogammarus finmarchicus, 341
Echinometra lucucnter, 273
Ecklonia radiata, 259
Ectocarpaceae, 223
Ectocarpales, 105, 111
Ectocarpus, 1, 297
(– dimorphus), 21

(– duchassaingianus), 159
– fasciculatus, 21
– gonodioides, 169
– siliculosus, 21, 105
Elachista fucicola, 191
Endocladia muricata, 125
Endocladiaceae, 87
Endophyton, 87
Enteromorpha, 1, 297, 327, 393
– clathrata, 159
– compressa, 317
– flexuosa, 159
– lingulata, 159
(– marginata), 159
(– plumosa), 159
(– tubulosa), 159
Entonema, 111
Ernodesmis verticillata, 159
Erythrocystis saccata, 159
Erythrodermis, 137
– traillii, 137
Erythrotrichia biseriata, 159
– carnea, 159
Escherichia coli, 111
Eucheuma, 1, 15, 35, 235, 381
(– cottonii), 35
– denticulatum, 35, 125, 235, 393
(– gelatinae), 15
– isiforme, 381
(– spinosum), 35
– striatum, 413
– uncinatum, 381

Falkenbergia rufolanosa, 223
Farlowia conferta, 125
Feldmannia indica, 159
– irregularis, 21, 159
– simplex, 21, 105
Fisurella, 367
Flavobacterium, 97
Florideophycidae, 125
Flustrellidra hispida , 191
Fosliella farinosa, 159
Fucales, 15, 173, 297, 305, 463
Fucus distichus, 259, 341
– evanescens, 311
– gardneri, 311
– serratus, 117, 185, 191, 217, 297, 445, 463
– spiralis, 445
– vesiculosus, 199, 217, 297, 341, 463
Furcellaria, 1
Furcellaria lumbricalis, 125
Furcellariaceae, 125

Galaxaura filamentosa, 159
Galaxaura subfruticulosa, 159
Gammarus oceanicus, 341
Gastroclonium subarticulatum, 125
Gelidiales, 125, 327, 371, 437, 481, 497, 501
Gelidiella acerosa, 159
– adnata, 159
Gelidium, 1, 15, 277, 327, 361, 367
– amansii, 361
– chilense, 1, 361, 367, 481
– coulteri, 437
– latifolium, 361
– lingulatum, 361, 367, 371
– nudifrons, 445
– okamurae, 159
– pacificum, 361
– pristoides, 361
– pusillum, 159, 361, 437
– rex, 367, 481
– robustum, 223, 361, 437
– sclerophyllum, 159
– sesquipedale, 125, 223, 259
– vagum, 393
Geliopsis tenuis, 159
Geminocarpus geminatus, 267
Gibbula cineraria, 191
Gigartina, 1, 245, 381
(– acicularis), 35, 381
(– angulata), 35
– asperifolia, 381
(– bracteata), 35
(– canaliculata), 35, 381
(– chamissoi), 35, 327, 371
– clathrata, 35
(– corymbifera), 35, 381
(– exasperata), 381
(– harveyana), 381
(– johnstonii), 381
(– leptorhyncos), 381
– ornithorhyncos, 381
– pectinata, 381
– pistillata, 125
– radula, 35
– skottsbergii, 35, 253, 371
(– spinosa), 381
(– stellata), 35
(– tepida), 381
(– volans), 381
Gigartinaceae, 125, 137
Gigartinales, 89, 97, 125, 195, 205, 259, 273, 327, 371, 381, 387, 481
Gloiopeltis, 15, 125
Gloiosiphonia verticillaris, 125
Glossophora kunthii, 327
(Goniotrichum alsidii), 159
Gonium pectorale, 29
– sociale, 29
Gononema, 111
Gracilaria, 1, 15, 29, 97, 145, 347, 353, 355, 407
– changii, 347
– chilensis, 1, 29, 59, 75, 205, 229, 341, 355, 371, 387, 415, 481
– chorda, 347
– conferta, 421, 437
(– confervoides), 159
– cornea, 145, 421
– crispata, 159
– cylindrica, 347
– edulis, 347
– foliifera, 291, 445
– gracilis, 407
(– lemaneiformis), 497
– mamillaris, 497
– multipartita, 407
– salicornea, 347

– *sordida*, 437
– *tenuifolia*, 159
– *tenuifrons*, 125, 145
– *tenuistipitata*, 317, 347, 437
– *tikvahiae*, 125, 145, 291, 387, 445
– *veleroae*, 159
– *verrucosa*, 29, 145, 159, 229, 291, 347, 387, 393, 429
Gracilariales, 89, 125, 317, 371, 407, 429, 481
Gracilariopsis, 29, 145, 229
– *lemaneiformis*, 29, 145, 229, 437
– *longissima*, 407
– *rhodotricha*, 159
– *tenuifrons*, 125, 145
Grateloupia dichotoma, 393
– *divaricata*, 125, 505
– *filicina*, 125
– *filiformis*, 393
– *longifolia*, 125
– *versicolor*, 159
– *versicolor* var.*prostrata*, 159
Griffithsia ovalis, 159
– *pacifica*, 159
Gymnogongrus, 1, 89
– *antarcticus*, 137
– *chiton*, 137
– *crenulatus*, 137
– *dilatatus*, 137
– *furcatus*, 137
(– furcellatus), 35, 327, 371, 387
– *Griffithsiae*, 137
– *johnstonii*, 137
(– leptophyllus), 137
– *martinensis*, 159, 381
– *platyphyllus*, 381
– *sinicola*, 159
– *torulosus*, 137
– *turquetii*, 137
Gymnothamnion elegans, 159
Gynerium sagittatum, 259

Halichondria panicea, 297
Halimeda discoidea, 159
– *opuntia*, 159
– *tuna*, 159
Haliotis rufescens, 341
Halopteris hordacea, 327
Halymenia actinophysa, 159
Halymeniaceae, 125
Hedophyllum, 111
Herposiphonia secunda, 159
– *secunda* f. *tenella*, 159
(– tenella), 159
(Hildenbrandia prototypus), 159
– *rubra*, 159, 297
Himanthalia elongata, 185, 217, 463
Hincksia breviarticulata, 159
– *hincksiae*, 21
– *mitchelliae*, 159
Hydroclathrus clathratus, 169
Hydroidea, 297
Hydrolithon conicum, 159
– *reinboldii*, 159
Hymenocladiopsis crustigena, 125, 137
Hypnea, 381
– *cervicornis*, 381
– *johnstonii*, 381
– *musciformis*, 125, 445, 451
– *musciformis* var. *esperi*, 159
– *pannosa*, 159
– *spinella*, 159, 381
– *valentiae*, 381
Hypneaceae, 125

Idotea baltica, 117
– *granulosa*, 191
Iridaea, 35, 381
(– ciliata), 481
– *cordata*, 35, 267, 381
(– cordata var. *splendens)*, 381
(– crispata), 35
(– laminarioides), 35, 481
(– membranacea), 481
(– obovata), 481

Jaera, 191
Jania, 149
– *adhaerens*, 159
– *tenella*, 159
Jantinella sinicola, 159
– *verrucaeformis*, 159

Kallymenia antarctica, 125
– *reniformis*, 125
– *tenuifolia*, 159
– *westii*, 125
Kallymeniaceae, 125
Kappaphycus, 35, 235
– alvarezii, 35, 235, 393
Kjellmaniella crassifolia, 515
Kuckuckia kylinii, 21
Lacuna pallidula, 191
– *vincta*, 341
Laminaria, 15, 191, 393
– *abyssalis*, 445
– *digitata*, 44, 117, 221, 421
(– groenlandica), 445
– *hyperborea*, 111, 117, 217, 421, 463
– *ochroleuca*, 217
– *saccharina*, 67, 111, 117, 217
Laminariales, 15, 111, 117, 217, 297, 327, 341, 371, 445, 463
Laurencia, 393
– *clarionensis*, 159
– *decidua*, 159
– *hancockii*, 159
– *humilis*, 159
– *obtusa*, 273
– *richardsii*, 159
– *scrippsensis*, 159
(– sinicola), 159
– *thyrsifera*, 505
Lemna minor, 317
trisulca, 317
Leptonematella, 111
(Leptosarca simplex), 491
Leptosomia simplex, 491
Lessonia, 1
– *nigrescens*, 1, 327, 341, 371
– *trabeculata*, 341, 371

Lichina pygmaea, 277
Litholepis accola, 159
"Lithophyllum", 191
– *bracchiatum*, 159
(– decipiens), 159
– *divaricatum*, 159
– *grumosum*, 159
– *imitans*, 159
(– lichenare), 159
– *lithophylloides*, 159
(– trichotomum), 159
Lithoporella pacifica, 159
Lithothamnion australe, 159
(– fruticulosum), 159
– *indicum*, 159
– *pacificum*, 159
– *validum*, 159
Littorina littorea, 191
– *mariae*, 191
– *obtusata*, 191, 297
– *sitkana*, 198, 341
Lobophora variegata, 159
Lomentaria atriculata, 125
– *baileyana*, 159
– *hakodatensis*, 125
Lophosiphonia macra, 159
– *mexicana*, 159
Loxechinus albus, 245

Macrocystis, 1, 15, 111, 173, 267
– *integrifolia*, 371, 421
– *pyrifera*, 159, 371, 393, 421, 445
Masonophycus paradoxus, 159
Mastocarpus, 1
– *corymbiferus)*, 381
– *harveyanus)*, 381
– *pacificus*, 137
– *papillatus*, 137, 381
– *stellatus*, 35
Mazzaella, 1, 245
– *cornucopiae*, 259
– *laminarioides*, 1, 35, 87, 259, 371, 387
– *membranacea*, 245
– *splendens*, 35, 267
Melobesia marginata, 159
– *membranacea*, 159
Membranoptera alata, 191
Mesogloia, 111
Monostroma, 223
Myriogramme crozieri, 253
– *multinervis*, 253
Mytilus, 355
– *chilensis*, 59, 75, 341, 355
– *edulis*, 297

Narrarius, 245
Navicula, 283
Nemaliales, 491
Nemalion vermiculare, 491
(Neoagardhiella baileyi), 381
Neogoniolithon trichotomum, 159
Neomeris vanbosseae, 159
Nereocystis, 111
– *luetkeana*, 67
Neurocarpus delicatulus, 159
Nitszchia, 283
Nodularia, 283
Nothogenia fastigiata, 491
Nucella lapillus, 191

Ochromonas, 29
Oncorhynchus kisutch, 59, 75, 205, 341
– *mykiss*, 59, 75, 205, 341
Oocystis, 415
Opuntiella californica, 125
Oscillatoria, 283
Ostreobium queketii, 159
– *reineckei*, 159
Ozophora clevelandii, 137

Pachydictyon coriaceum, 169
Pachymenia cornea, 125
– *crassa*, 125
Padina, 149
– *crispata*, 159
– *durvillaei*, 159, 169
– *gymnospora*, 451
– *mexicana*, 169
Palmaria decipiens, 415, 491
– *palmata*, 191
– *stenogona*, 491
Palmariales, 401, 491
Pandorina morum, 29
Patina pellucida, 191
Pelvetiopsis limitata, 259
Penaeus vannamei, 353
Petalonia, 173
– *fascia*, 297, 327
Petersenia pollagaster, 97
Petrocelidaceae, 137
Petroglossum pacificum, 137
Peyssonnelia calcea, 159
– *clarionensis*, 159
– *rubra*, 159
– *rubra* f. *orientalis*, 159
Phacelocarpus tortuosus, 125
Phaeodactylum, 407
– *tricornutum*, 317
Phaeophila engleri, 159
Phaeophyta, 105, 111, 117, 159, 169, 173, 297, 305, 327, 341, 371, 445, 451, 457, 463, 515
Phaeostroma, 111
Phycocelis, 111
Phyllophora, 297
(– abyssalis), 137
– *ahnfeltioides*, 137
– *antarctica*, 137
– *appendiculata)*, 137
– *clevelandii)*, 159
– *crispa*, 125, 137
– *pseudoceranoides*, 137
– *traillii)*, 137
– *truncata)*, 137
Phyllophoraceae, 125, 137
Pilinia maritima f. *pacifica*, 159
Platoma, 125
Platythamnion pectinatum, 159
– var. *laxum*, 159

Pleurocapsa, 87
Plocamiales, 125
Plocamiocolax, 125
Plocamium, 125
– *angustum*, 125
– *cartilagineum*, 125, 159, 223
(– coccineum var. *pacificum)*, 159
– *corallorhiza*, 125
– *cornutum*, 125
(– pacificum), 159
– *telfairiae*, 125
(Pocockiella variegata), 159
Polyideaceae, 125
Polyides rotundus, 125
Polyneura latissima, 125
Polyopes, 125
Polyphysa parvula, 159
Polysiphonia, 297, 421
– *beaudettei*, 159
– *eastwoodae*, 159
– *flaccidissima*, 159
– *homoia*, 159
– *simplex*, 159
– *snyderae*, 159
– *sonorensis*, 159
Porphyra, 1, 15, 393
– *columbina*, 1, 327, 371
Portieria japonica, 125
Poteriochromonas, 29
Predaea masonii, 159
Prionitis clarionensis, 159
– *lanceolata*, 125
– *lyallii*, 125
Pseudobryopsis hainensis, 159
Pseudoechinus, 245
Pseudogloiophloea, 421
Pseudomonas aeruginosa, 457
Pterocladia, 15, 497
Pterocladia capillacea, 125, 159, 437, 501
– *musciformis*, 159
– *pyramidalis*, 159
Pterosiphonia dendroidea, 159
Ptilonia magellanica, 125
(Ralfsia californica), 159
– *hancockii*, 159
(– occidentalis), 159
– *pacifica*, 159
– *verrucosa*, 297
Rhizobium meliloti, 473
(Rhizoclonium kerneri), 159
kochianum, 159
– *riparium*, 159
Rhizophyllidaceae, 125
(Rhodoglossum affine), 381
(– roseum), 381
Rhodopeltis borealis, 125
Rhodophyta, 35, 87, 97, 159, 259, 273, 297, 317, 327, 381, 387, 393, 401, 415, 421, 429, 437, 457, 481, 497, 501, 505
Rhodymenia pertusa, 125
– *pseudopalmata*, 125
Rhodymeniales, 125
Rosenvingea intricata, 159
Saccharomyces cerevisiae, 429
Saccorhiza polyschides, 217
Sahlingia subintegra, 159
Salmo salar, 67
Sarcodia ceylanica, 125
– *dentata*, 125
– *montagneana*, 125
Sarcodiaceae, 125
Sarcodiotheca gaudichaudii, 125
Sarcothalia, 1, 245
– *crispata*, 1, 35, 245, 253, 371
– *livida*, 35
Sargassum, 15, 173, 393
– *filipendula*, 451
– *herporhizum*, 169
– *howellii*, 159
– *johnstonii*, 169
– *macdougalii*, 169
– *muticum*, 217
– *palmeri*, 159
– *sinclairii*, 259
– *sinicola*, 169
Schizymenia dubyi, 125
– *obovata*, 125
– *pacifica*, 125
Schizymeniaceae, 125
Schottera nicaeensis, 137
Scytosiphon, 173
– *lomentaria*, 297
Scytosiphonales, 173, 297, 327
Sebdenia monardiana, 125
Selenastrum capricornutum, 317
Siphonocladus tropicus, 159
Skeletonema costatum, 29
Smithora naiadum, 159
Solieria filiformis, 35, 137, 175, 393
Solieriaceae, 137
Sparus aurata, 61
Sphacelaria californica, 159
(– furcigera), 159
(– hancockii), 159
– *masonii*, 159
– *mexicana*, 159
– *rigidula*, 159
Sphacelariales, 173
Sphaerococcus coronopifolius, 125, 223
Spirorbis, 297
– *borealis*, 191
Spongites fruticulosus, 159
Sporochnus balleanus, 169
Spyridia filamentosa, 159, 457
– *hypnoides*, 457
Staphylococcus aureus, 457
Stenogramma interrupta, 137, 159
Stictosiphonia hookeri, 277
Streblonema aecidioides, 111, 117
– *macrocystis*, 111
– *volubile*, 111
Striaria attenuata, 173
Strongylocentrotus droebachiensis, 341
– *purpuratus*, 341
Stylonema alsidii, 159
Stypopodium zonale, 457
Synedra, 283

Tegula atra, 245

– *brunea*, 341
– *funebralis*, 341
– *tridentata*, 341
Tichocarpaceae, 125
Tichocarpus crinitus, 125
Tinocladia falklandica, 173
Titanophora weberae, 125
Trematocarpus dichotomus, 125
– *fragilis*, 125
Turnerella mertensiana, 125

Ulva, 1, 243
– *lactuca*, 61, 159, 191
– *rigida*, 61, 291, 445, 451, 473
Ulvales, 61, 297, 291, 297, 327, 473, 445, 451
Undaria, 15
Undaria pinnatifida, 15

Vaucheria, 29
Volvox, 29
– *carteri*, 429

Wrangelia bicuspidata, 457
Wurdemannia miniata, 159

Zea mays, 429
Zostera marina, 463

Author index

Åberg, P., 199
Abbott, I. A., 15
Alianza, T. T., 235
Alie, S. Y., 67
Alongi, G., 267
Amado Filho, G. M., 451
Amat, M. A., 335
Anderson, R. J., 291
Ang, P. O., 179
Anzai, H., 515
Avila, M. R., 245
Axelos, M. A. V., 473
Azanza-Corrales, R., 235

Bajjouk, T., 463
Ballantine, D. L., 457
Baumberger, S., 473
Bernal, P. A., 43
Bixler, H. J., 35
Bjorklund, M., 317
Blunden, G., 497
Bodvin, T., 83
Bokn, T. L., 297
Bolton, J. J., 173
Braud, J.-P., 335
Brautigam, M., 105
Brenchley, J. L., 185
Brunet, C., 407
Buschmann, A. H., 57, 75, 341, 355

Cabioch, J., 407
Candia, A., 229
Capp, M., 105
Carabot-Cuervo, A., 497
Casas, G. N., 213
Chui, M.-I., 149
Cisternas, M., 229
Coimbra, C. A., 273
Coleman, A. W., 29
Cormaci, M., 267
Corrales, R. A., 235
Correa, J. A., 87, 89, 97, 387
Cosson, J., 511
da Costa Braga, A., 445
Coutinho, R., 273
Craigie, J. S., 97
Deysher, L., 311
Duarte, P., 223

Falshaw, R., 505
Farina, M., 451
Floc'h, J.-Y., 217
Fredericq, S., 125, 137
Freshwater. D. W., 125
Friedlander, M., 421
Furnari, G., 267
Furneaux, R. H., 505

Gómez, P., 229
Garcia-Reina, G., 61
Garofalo, G. M. C., 501
Gerwick, W., 457
Gonen, Y., 421
Gonzáles-Gonzáles, J. A., 159
González, M., 229
González, P., 387
Guerra, N., 327
Guillaumont, B., 463
Guimaraens, M. A., 273

Haglund, K., 317
Handro, W., 393
Heineman, D., 283
Hill, J. M., 305
Hommersand. M. H., 125

Indergaard, M., 83

Jacoby, C. A., 283
Jensen, A., 83
Jimenez del Rio, M., 61
Johnston, A. M., 185

Kapp, M., 105
Karez, C. S., 451
Karsten, U., 277
Kautsky, L., 75
Kautsky, N., 75
Kendrick, G. A., 283
Kimmel, E., 421
Klebl, A.-K., 105
Klein, M., 105
Knippers, R., 105
Kübler, J. E., 401
Lahaye, M., 473
León, N., 367
León-Tejera, H., 159
Lemoine, Y., 407
Levitt, G. J., 291
Lewis, J., 149
Lewis, R., 437

Müller, D. G., 21, 105
Martínez, E. A., 341
Martínez, L. A., 205
Matsuhiro, B., 479, 491
Miller, I. J., 505
Molina, X., 415
Molloy, F. J., 305
Montaño, N. E., 235
Montecino, V., 415
Monteiro, P. M. S., 291
Montoya, R., 229

Mouret, V., 217
Moy, F. E., 297
Murano, E., 497

Nabil, S., 511
Nishide, E., 515
Nisizawa, K., 515
Noraishah, H., 347
Norambuena, R., 245, 371
Norgaard, E., 83
Nuñez, M., 245

Olander, U., 317
Oliveira, E. C., 145, 501
Otaíza, R., 245

Pacheco-Ruíz, I., 169
Pajot, R., 217
Pavia, H., 199
Pedersen, M., 317
Pedersini, C., 497
Peters, A. F., 111, 117
Petrell, R. J., 67
Pfeiffer, W. C., 451
Phang, S.-M., 347
Piríz, M. L., 213
Plastino, E. M., 145
Polne-Fuller, M., 437
Populus, J., 463

Quemener, B., 473

Ragan, M. A., 41, 429
Ramírez, M. E., 137
Ramazanov, Z., 61
Raven, J. A., 185, 401
Ray, B., 473
Retamales, C. A., 355
Reusch, T. B. H., 117
Rizzo, R., 497
Rmiki, N.-E., 407
Robles Centeno, P. O., 457
Rodríguez, D., 361
Rojas H., R., 367
Rojas O, R., 367

Saito, R. M., 501
Salazar O., M., 353
Sanchez, P. A., 89
Sandberg, A., 317
Santelices, B., 1
Santos Neto, J. F., 501
Santos, R., 223
Sasekumar, A., 347
Scammacca, B., 267
Schaffelke, B., 111, 117
Scrosati, R., 259
Semple, R. E., 179
Serviere-Zaragoza, E., 159
Shaharuddin, S., 347
Sharp, G. J., 179
Skaar, A., 83
Sousa-Pinto, I., 437
Stekoll, M. S., 311

Tel-Or, E., 421
Toffanin, R., 497
Troell, M., 59

Uchida, N., 515
Urzúa, C. C., 491

Vasquez, J. A., 327

Walday, M., 297
West, J. A., 277
Westermeier H., R., 253
Williams, G. A., 191

Yokoya, N. S., 393
Yoneshigue-Valentin, Y., 495, 501

Zamarano P., J., 253
Zertuche-González, J. A., 169, 381
Zhou, Y.-H., 429
Zuccarello, G. C., 277